



LTS Research Laboratories, Inc.
Safety Data Sheet
Iron Terbium Alloy

1. Product and Company Identification

Trade Name: Iron terbium alloy
Chemical Formula: Fe-Tb
Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.
Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA
Tel #: 855-587-2436 / 855-lts-chem

Emergency Contact (ChemTrec) Tel #: 800-424-9300 (US & Canada)
+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H228 Flammable solid
H260 In contact with water releases flammable gases which may ignite spontaneously
H319 Causes serious eye irritation

Precautionary Statements: P210 Keep away from heat/sparks
P231+P232 Handle under inert gas. Protect from moisture.
P370+P378 In case of fire: use CO2, sand, extinguishing powder
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. \

HMIS Health Ratings (0-4):

Health: 1
Flammability: 3
Reactivity: 2

3. Composition

Chemical Family: Metal alloy
Additional Names: N/A

Iron (Fe):
Percentage: 0-100 wt%
CAS #: 7439-89-6
EC #: 231-096-4

Terbium (Tb):
Percentage: 0-100 wt%
CAS #: 7440-27-9
EC#: 231-137-6

4. First Aid Procedures

General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person.
Skin:	Wash affected area with mild soap and water. Remove any contaminated clothing.
Eyes:	Flush eyes with water, blinking often for ten minutes.

5. Fire and Explosion Hazards Data

Flammability:	Flammable as powder and pellets/pieces, water-reactive
Flash Point:	N/A
Autoignition Temperature:	N/A
Extinguishing Media:	Do not use water for metal fires. Use sand, CO ₂ , extinguishing powder.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes.

6. Accidental Release Measures

If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below TLV.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits:	None
Threshold Limit Value:	5 mg/m ³ as Fe, long-term (Canada)
Special Equipment:	None
Respiratory Protection:	Dust Respirator, NIOSH approved
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses / goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics

Color	Metallic grey
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Contact with water liberates flammable gases
Boiling Point:	N/A
Melting Point:	1356-1538 °C
Density:	~8 g/cc
Molecular weight:	N/A

10. Reactivity

Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents, water
Incompatible Conditions:	None
Haz. Decomposition Products:	Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes:	Causes serious eye irritation as powder
Skin:	May cause irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage.

Routes of Entry:

Target Organs:	N/A
Signs & Symptoms of Exposure:	N/A
Medical Conditions Aggravated by Exposure:	N/A

Median Lethal Dose: 30,000 mg/kg for rat by mouth as iron

Carcinogen: N/A

12. Ecological Information

Ecological data is not available.

13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

14. Transportation Data

Hazardous: Hazardous for powder and pieces/pellets.



Hazard Class: 4.1 Flammable solids, self-reactive substances, and solid desensitized explosives

Packing Group: II

UN Number:

Pellets/Pieces: UN3178

Powder: UN3089

Proper Shipping Name:

Pellets/Pieces: Flammable solid, inorganic, n.o.s.

Powder: Metal powder, flammable, n.o.s.

15. Regulatory Information

Sec 302 Extremely Hazardous: No

Sec 304 Reportable Quantities: N/A

Sec 313 Toxic Chemicals: No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 10/28/2014