



LTS Research Laboratories, Inc.  
Safety Data Sheet  
Tantalum-doped Lithium Lanthanum Zirconium Oxide

---

1. Product and Company Identification

---

Trade Name: Tantalum-doped Lithium Lanthanum Zirconium Oxide  
Chemical Formula: LLZO-Ta  
Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.  
Street: 37 Ramland Road  
City: Orangeburg  
State: New York  
Zip Code: 10962  
Country: USA  
Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)  
+1-703-527-3887 (International)

---

2. Hazards Identification

---

Signal Word: Danger



Hazard Statements: H228: Flammable solid (powder)  
H314: Causes severe skin burns and eye damage  
H319: Causes serious eye irritation  
H335: May cause respiratory irritation

Precautionary Statements: P210: Keep away from heat/sparks/flame. No smoking  
P240: Ground/bond container and receiving equipment  
P260: Do not breathe dust/fume/gas/mist/vapors/spray  
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing  
P405: Store locked up  
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):  
Health: 3  
Flammability: 3  
Physical: 1

---

### 3. Composition

---

Chemical Family: Inorganic Material  
Additional Names: LLZTO

Tantalum-doped Lithium Lanthanum Zirconium Oxide (LLZO-Ta):

Percentage: 0-100 wt%  
CAS #: N/A  
EC #: N/A

---

### 4. First Aid Procedures

---

General Treatment: Seek medical attention if symptoms persist.  
Special Treatment: None  
Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult.  
Ingestion: Never induce vomiting or give anything by mouth to an unconscious person. Rinse mouth with water. Seek immediate medical attention.  
Skin: Wash affected area with mild soap and water. Remove any contaminated clothing.  
Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

---

### 5. Firefighting Measures

---

Flammability: Non-flammable, except as powder

Extinguishing Media: Do not use water for metal fires – use CO<sub>2</sub>, sand, extinguishing powder.  
Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

---

### 6. Accidental Release Measures

---

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.  
Environmental Precautions: Isolate runoff to prevent environmental pollution.

---

### 7. Handling and Storage

---

Handling Conditions: Handle under dry protective gas. Wash thoroughly after handling.  
Storage Conditions: Store in a cool dry place in a tightly sealed container. Store under dry inert gas. Store apart from materials and conditions listed in section 10.  
Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.  
Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

---

## 8. Exposure Controls and Personal Protection

---

Permissible Exposure Limits:	5 mg/m <sup>3</sup> as Zr, long-term value 5 mg/m <sup>3</sup> as Ta, long-term value
Threshold Limit Value:	10 mg/m <sup>3</sup> as Zr, short-term value 5 mg/m <sup>3</sup> as Zr, long-term value
Special Equipment:	None
Respiratory Protection:	Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protective Gloves:	Nitrile rubber, NBR
Eye Protection:	Safety glasses or goggles, Full Face Protection
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

---

## 9. Physical and Chemical Characteristics

---

Color	White
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	N/A
Water Solubility:	N/A
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	N/A
Molecular weight:	N/A

---

## 10. Reactivity

---

Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents, Acids, Water, Mineral acids
Incompatible Conditions:	Air, Water/moisture
Hazardous Decomposition Products:	Lithium oxide, Metal oxide fume

---

## 11. Toxicological Information

---

Potential Health Effects:	
Eyes:	Causes serious eye damage
Skin:	Causes irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/A
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	>8500 mg/kg for rat by mouth for Tantalum doped Lithium Lanthanum Zirconium oxide
Carcinogen:	N/A

---

## 12. Ecological Information

---

Aquatic Toxicity:	Low
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	N/A

---

## 13. Disposal Considerations

---

Dispose of in accordance with local, state, national, and international regulations.

---

## 14. Transportation Data

---

Hazardous:

Hazardous for transportation



Hazard Class:	8 Corrosive Substances
Secondary Hazard Class:	4.1 Flammable Solids
Packing Group:	II
UN Number:	UN2921
Proper Shipping Name:	Corrosive solids, flammable, n.o.s. (Tantalum-doped Lithium Lanthanum Zirconium Oxide)

---

## 15. Regulatory Information

---

Sec 302 Extremely Hazardous:	N/A
Sec 304 Reportable Quantities:	N/A
Sec 313 Toxic Chemicals:	N/A

---

## 16. Other Information

---

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 03/11/2021