# LTS RESEARCH LABORATORIES, INC. MATERIAL SAFETY DATA SHEET PRASEODYMIUM CALCIUM MANGANESE OXIDE

\_\_\_\_\_\_

# 1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: PRASEODYMIUM CALCIUM MANGANESE OXIDE (PCMO)

CHEMICAL FORMULA:  $Pr_xCa_{(1-x)}MnO_3$ 

MANUFACTUER/SUPPLIER: LTS RESEARCH LABORATORIES, INC.

COMPANY'S STREET: 37 RAMLAND ROAD COMPANY'S CITY: ORANGEBURG COMPANY'S STATE: NEW YORK

COMPANY'S ZIP CODE: 10962

EMERGENCY CHEMTREC #: 800-262-8200

COMPANY'S EMERGENCY TEL. #: 800-424-9300 (LOCAL)

703-527-3887 (INTERNATIONAL)

COMPANY'S TEL #: 845-494-2940

RECOMMENDED USE: SCIENTIFIC RESEARCH AND DEVELOPMENT

## 2. HAZARDS IDENTIFICATION

SIGNAL WORD: WARNING



HAZARD SYMBOLS: CORROSIVE HARMFUL

HMIS HEALTH RATINGS (0-4):

HEALTH: 2 FLAMMABILITY: 0 REACTIVITY: 1

CARCINOGEN: UNKNOWN

#### 3. COMPOSITION

CHEMICAL FAMILY: METAL OXIDE

ADDITIONAL NAMES: PCMO

PRASEODYMIUM OXIDE (PrO):

PERCENTAGE: 0-50 mol% CAS #: 12037-29-5

CALCIUM OXIDE (CaO):

PERCENTAGE: 0-50 mol% CAS #: 1305-78-8

MANGANESE OXIDE (MnO):

PERCENTAGE: 50 mol% CAS #: 1344-43-0

# 4. FIRST AID PROCEDURES

IMPORTANT SYMTOMS: INHALATION: MAY CAUSE A RED, DRY THROAT, COUGHING

AND SHORTNESS OF BREATH

SPECIAL TREATMENT: NONE

INHALATION: REMOVE VICTIM TO FRESH AIR, KEEP WARM AND QUIET,

GIVE OXYGEN IF BREATHING IS DIFFICULT AND SEEK

MEDICAL ATTENTION IF SYMPTOMS PERSIST.

INGESTION: GIVE 1-2 GLASSES OF MILK OR WATER AND INDUCE

VOMITING, SEEK MEDICAL ATTENTION IF SYMPTOMS

PERSIST. NEVER INDUCE VOMITING OR GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON.

SKIN: REMOVE CONTAMINATED CLOTHING, BRUSH MATERIAL

OFF SKIN, WASH AFFECTED AREA WITH MILD SOAP AND WATER, AND SEEK MEDICAL ATTENTION IF SYMPTOMS

PERSIST.

EYES: FLUSH EYES WITH LUKEWARM WATER, LIFTING UPPER

AND LOWER EYELIDS, FOR AT LEAST 20 MINUTES. SEEK

MEDICAL ATTENTION IF SYMPTOMS PERSIST.

#### 5. FIRE AND EXPLOSION HAZARDS DATA

FLAMMABILITY: NON-FLAMMABLE

FLASH POINT: N/A AUTOIGNITION TEMPERATURE: N/A

EXTINGUISHING MEDIA: CO2, SAND, DRY AGENTS. DO NOT USE WATER

SPEC. FIRE FIGHTING PROCEDURE: USE FULL-FACE, SELF-CONTAINED BREATHING APPARATUS

WITH FULL PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. FUMES FORM FIRE IS HAZARDOUS.

ISOLATE RUNOFF TO PREVENT ENVIRONMENTAL

POLLUTION.

UNUSUAL FIRE & EXPLOSION HAZ: WHEN HEATED TO DECOMPOSITION, MAY EMIT TOXIC

FUMES.

#### 6. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED/ SPILLED: WEAR APPROPRIATE RESPIRATORY AND PROTECTIVE

EQUIPMENT SPECIFIED IN SPECIAL PROTECTION INFORMATION. ISOLATE SPILL AREA AND PROVIDE VENTILATION. VACUUM UP SPILL USING A HIGH

EFFICIENCY PARTICULATE ABSOLUTE (HEPA) AIR FILTER AND PLACE IN A CLOSED CONTAINER FOR DISPOSAL. TAKE

CARE NOT TO RAISE DUST.

ENVIRONMENTAL PRECAUTIONS: N/A

.....

### 7. HANDLING AND STORANGE

HANDLING CONDITIONS: WASH THOROUGHLY AFTER HANDLING.

HMIS PROTECTIVE EQUIPMENT: GLASSES, GLOVES, APRON, DUST RESPIRATOR

STORAGE CONDITIONS: STORE IN A COOL DRY PLACE IN A TIGHTLY SEALED

CONTAINER.

WORK/HYGIENIC/MAINTENANCE: IMPLEMENT ENGINEERING AND WORK PRACTICE

CONTROLS TO REDUCE AND MAINTAIN CONCENTRATION OF EXPOSURE AT LOW LEVELS. USE GOOD HOUSEKEEPING AND SANITATION PRACTICES. DO NOT USE TOBACCO OR FOOD IN WORK AREA. WASH THOROUGHLY BEFORE EATING AND SMOKING. DO NOT BLOW DUST OFF

CLOTHING OR SKIN WITH COMPRESSED AIR.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PCMO:

OSHA PEL: N/A

LD50/LC50: ORL-RAT LDLO: 1980 mg/kg

CARCINOGEN:

NTP: N/A
IARC MONOGRAPHS: N/A
OSHA REGULATED: N/A

SPECIAL EQUIPMENT: NONE

RESPIRATORY PROTECTION: NIOSH APPROVED DUST, MIST RESPIRATOR

PROTECTIVE GLOVES: RUBBER GLOVES EYE PROTECTION: SAFETY GLASSES

OTHER: PROTECTIVE GEAR SUITABLE TO PREVENT

CONTAMINATION.

\_\_\_\_\_\_

9. PHYSICAL AND CHEMICAL CHARACTERISTICS

COLOR: BLACK

FORM: POWDER, PIECES, GRANULES, SPUTTERING TARGET

ODOR: ODORLESS SOLUBILITY IN  $H_2O$ : INSOLUBLE

BOILING POINT: N/A MELTING POINT: N/A SPECIFIC GRAVITY  $(H_2O=1)$ : N/A MOLECULAR WEIGHT: N/A

10. REACTIVITY

STABILITY: STABLE

INCOMPATIBILITY: AIR, ACIDS, OXIDIZING AGENTS, MOISTURE

HAZ. DECOMPOSITION PRODUCTS: N/A

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

------

11. TOXICOLOGICAL INFORMATION

EMERGENCY OVERVIEW: TO THE BEST OF OUR KNOWLEDGE THE CHEMICAL,

PHYSICAL & TOXICOLOGICAL PROPERTIES OF THIS

MATERIAL HAVE NOT BEEN THOROUGHLY INVESTIGATED

AND RECORDED.

POTENTIAL HEALTH EFFECTS:

EYE: MAY CAUSE CORROSIVE BURNS AND BLINDNESS

SKIN: MAY CAUSE CORROSIVE BURNS IN POWDER FORM

INGESTION: CAUSES CORROSIVE BURNS AND DANGER OF

PERFORATION OF ESOPHAGUS AND STOMACH.

INHALATION: MAY CAUSE BURNS TO THE RESPIRATORY TRACT.

PRASEODYMIUM OXIDE: LANTHANONS CAN CAUSE DELAYED BLOOD CLOTTING LEADING

TO HEMORRHAGES. EXPOSURE MAY ALSO LEAD TO SENSITIVITY TO HEAT, ITCHING, INCREASED AWARENESS OF ODOR AND TASTE,

AND LIVER DAMAGE.

CALCIUM OXIDE: CALCIUM OXIDE IS CORROSIVE TO THE SKIN, EYES, AND

RESPIRATORY TRACT. MAY CAUSE ALKALI BURNS IN THE MOUTH

AND THROAT. CHRONIC INHALATION OF DUST MAY CAUSE

INFLAMMATION OF THE RESPIRATORY PASSAGES, ULCERS OF THE

MUCOUS MEMBRANES, AND POSSIBLY PERFORATION OF THE

NASAL SEPTUM. CORROSIVE MATERIALS ARE ACUTELY DESTRUCTIVE TO THE RESPIRATORY TRACT. EYES, SKIN, A

DESTRUCTIVE TO THE RESPIRATORY TRACT, EYES, SKIN, AND DIGESTIVE TRACT. EYE CONTACT MAY RESULT IN PERMENENT DAMAGE AND COMPLETE VISION LOSS. INHALATION MAY RESULT IN RESPIRATORY EFFECTS SUCH AS INFLAMMATION, EDEMA, AND CHEMICAL PNEUMONITIS. MAY CAUSE COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, AND VOMITING. INGESTION MAY CAUSE DAMAGE TO THE MOUTH, THROAT, AND ESOPHAGUS. MAY CAUSE SKIN BURNS OR

IRRITATION DEPENDING ON THE SEVERITY OF THE EXPOSURE.

MANGANESE OXIDE: CHRONIC EXPOSURE TO MANGANESE MAY CAUSE IMPAIRMENT TO

THE CENTRAL NERVOUS SYSTEM. SYMPTOMS INCLUDE

SLUGGISHNESS, SLEEPINESS, MUSCLE WEAKNESS, LOSS OF FACIAL MUSCLE CONTROL, EDEMA, EMOTIONAL DISTURBANCES, SPASTIC GAIT, AND FALLING. CHRONIC MANGANESE POISONING MAY DEVELOP AFTER AS LITTLE AS THREE MONTHS OF HEAVY EXPOSURE BUT USUALLY AFTER ONE TO THREE YEARS.

ROUTES OF ENTRY: INHALATION, SKIN, EYES, AND INGESTION.

SIGNS & SYMPTOMS OF EXPOSURE: INHALATION: MAY CAUSE A RED, DRY THROAT, COUGHING

AND SHORTNESS OF BREATH.

MEDICAL CONDITIONS

AGGRAVATED BY EXPOSURE: PRE-EXISTING RESPIRATORY DISORDERS.

12. ECOLOGICAL INFORMATION

ECOLOGICAL DATA IS NOT AVAILABLE.

13. DISPOSAL CONSIDERATIONS

.....

\_\_\_\_\_\_

DISPOSE OF IN ACCORDANCE WITH LOCAL. STATE AND FEDERAL REGULATIONS.

14. TRANSPORTATION DATA

NOTES: APPLIES TO POWDER ONLY

UN NUMBER: 1910

UN PROPER SHIPPING NAME: METAL OXIDE POWDER, N.O.S.

HAZARD CLASS: 8

PACKING GROUP: III III

ROAD TRAN. ADR//RID CLASS: 8 (C6) CORROSIVE SUBSTANCES

AIR TRAN. ICAO/IATA CLASS: 8

MARITIME TRAN. IMDG CLASS: 8

15. REGULATORY INFORMATION

 SEC.302 (EHS):
 YES

 SEC.304 (RQ):
 N/A

 SEC.313 (SARA):
 NO

16. OTHER INFORMATION

THIS SAFETY DATA SHEET SHOULD BE USED IN CONJUNCTION WITH TECHNICAL SHEETS. IT DOES NOT REPLACE THEM. THE INFORMATION GIVEN IS BASED ON OUR KNOWLEDGE OF THIS PRODUCT, AT THE TIME OF PUBLICATION. IT IS GIVEN IN GOOD FAITH. THE ATTENTION OF THE USER IS DRAWN TO THE POSSIBLE RISKS INCURRED BY USING THE PRODUCT FOR ANY OTHER PURPOSE OTHER THAN THAT FOR WHICH IT WAS INTENDED. THIS DOES NOT IN ANY WAY EXCUSE THE USER FROM KNOWING AND APPLYING ALL THE REGULATIONS GOVERNING HIS ACTIVITY. IT IS THE SOLE RESPONSIBILITY OF THE USER TO TAKE ALL PRECAUTIONS REQUIRED IN HANDLING THE PRODUCT. THE AIM OF THE MANDATORY REGULATIONS MENTIONED IS TO HELP THE USER TO FULFILL HIS OBLIGATIONS REGARDING THE USE OF HAZARDOUS PRODUCTS.

DATE MSDS PREPARED: 3/12/09 DATE LAST REVISED: 6/17/14