



LTS Research Laboratories, Inc.
Safety Data Sheet
Antimony (III) chloride

1. Product and Company Identification

Trade Name: Antimony (III) chloride
Chemical Formula: $SbCl_3$
Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.
Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA
Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)
+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H314: Causes severe skin burns and eye damage.
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements: P260: Do not breathe dust/fume/gas/mist/vapors/spray
P264: Wash skin thoroughly after handling.
P273: Avoid release to the environment.
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340+P310: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363: Wash contaminated clothing before reuse.
P391: Collect spillage.
P405: Store locked up.
P501: Dispose of contents/ container to an approved waste disposal plant

HMIS Health Ratings (0-4):
Health: 3
Flammability: 0
Physical: 1

3. Composition

Chemical Family: Ceramic
Additional Names: Antimony trichloride

Antimony (III) chloride (SbCl₃):
Percentage: 100 wt%
CAS #: 10025-91-9
EC #: 233-047-2

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.
Special Treatment: None
Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult. Keep patient warm. Seek immediate medical attention.
Ingestion: Seek immediate medical attention.
Skin: Immediately wash affected area with mild soap and water. Remove any contaminated clothing. Seek immediate medical attention.
Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek immediate medical attention.

5. Firefighting Measures

Flammability: Non-flammable
Extinguishing Media: Do not use water due to its inefficiency – use CO₂, sand, extinguishing powder.
Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Keep unprotected persons away. Isolate spill area and provide ventilation. Use neutralizing agent. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Handle under dry protective gas. Avoid contact with skin and eyes. Wash thoroughly after handling.
Storage Conditions: Store in a cool dry place in a tightly sealed container. Store away from water/moisture, strong bases, oxidizing agents. Reacts violently with water. Store under dry inert gas. This product is moisture sensitive. Protect from humidity and water. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits:	0.5 mg/m ³ as Sb, long-term value
Threshold Limit Value:	0.5 mg/m ³ as Sb, long-term value
Special Equipment:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Respiratory Protection:	Dust Respirator
Protective Gloves:	Nitrile rubber gloves with minimum thickness of 0.11 mm
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics

Color	White
Form:	Crystalline
Odor:	Pungent
Water Solubility:	Soluble, decomposes
Boiling Point:	223.5°C
Melting Point:	73.4°C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	3.14 g/cc
Molecular weight:	228.11 g/mol

10. Reactivity

Stability:	Stable under recommended storage conditions
Reacts With:	Oxidizing agents, water/moisture, bases
Incompatible Conditions:	Water/moisture
Hazardous Decomposition Products:	Metal oxide fume, antimony oxides, hydrogen chloride

11. Toxicological Information

Potential Health Effects:	
Eyes:	Causes serious eye damage
Skin:	Causes severe skin burns
Ingestion:	Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach
Inhalation:	May cause irritation
Chronic:	N/A
Signs & Symptoms:	N/A
Aggravated Medical Conditions:	N/A
Median Lethal Dose:	525 mg/kg for rat by mouth
Carcinogen:	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

12. Ecological Information

Aquatic Toxicity:	Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 9 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna (Water flea) - 10.1 mg/l - 48 h Toxicity to algae: IC50 - Tetrahymena pyriformis, Ciliate - 6 mg/l - 36h
Persistent Bioaccumulation Toxicity:	N/A
Very Persistent, Very Bioaccumulative:	Not readily biodegradable.
Notes:	Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Very toxic to aquatic organisms. Avoid transfer into the environment.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class:	8 Corrosive substances
Packing Group:	II
UN Number:	UN1733
Proper Shipping Name:	Antimony trichloride, solid

15. Regulatory Information

Sec 302 Extremely Hazardous:	No
Sec 304 Reportable Quantities:	1000 lbs
Sec 313 Toxic Chemicals:	Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 01/31/2019