



LTS Research Laboratories, Inc.  
Safety Data Sheet  
Selenium Arsenic Germanium

---

1. Product and Company Identification

---

Trade Name: Selenium arsenic germanium  
Chemical Formula: Se-As-Ge  
Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.  
Street: 37 Ramland Road  
City: Orangeburg  
State: New York  
Zip Code: 10962  
Country: USA  
Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)  
+1-703-527-3887 (International)

---

2. Hazards Identification

---

Signal Word: Danger



Hazard Statements: H301: Toxic if swallowed  
H331: Toxic if inhaled  
H373: May cause damage to organs through prolonged or repeated exposure

Precautionary Statements: P260: Do not breathe dust/fume/gas/mist/vapours/spray  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P321: Specific treatment (see on this label)  
P403+P233: Store in a well ventilated place. Keep container tightly closed  
P405: Store locked up  
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):  
Health: 3  
Flammability: 1  
Physical: 1

---

### 3. Composition

---

Chemical Family: Semimetallic alloy  
Additional Names: SAG

Selenium (Se):  
Percentage: 0-100 wt%  
CAS #: 7782-49-2  
EC #: 231-957-4

Arsenic (As):  
Percentage: 0-100 wt%  
CAS #: 7440-38-2  
EC #: 231-148-6

Germanium (Ge):  
Percentage: 0-100 wt%  
CAS #: 7440-56-4  
EC #: 231-164-3

---

### 4. First Aid Procedures

---

General Treatment: Seek medical attention if symptoms persist.  
Special Treatment: Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult.

Ingestion: Seek medical attention.

Skin: Wash affected area with mild soap and water. Remove any contaminated clothing.

Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

---

### 5. Firefighting Measures

---

Flammability: Non-flammable

Extinguishing Media: No special restrictions - use suitable extinguishing agent for surrounding material and type of fire.

Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

---

### 6. Accidental Release Measures

---

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

---

---

## 7. Handling and Storage

---

Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

---

## 8. Exposure Controls and Personal Protection

---

Permissible Exposure Limits:	0.01 mg/m <sup>3</sup> as As, inorganic, long-term value
Threshold Limit Value:	0.01 mg/m <sup>3</sup> as As, long-term value
Biological Exposure Index:	35 mg/m <sup>3</sup> as Arsenic in urine at end of workweek
Special Equipment:	None
Respiratory Protection:	Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protective Gloves:	Nitrile rubber, NBR 0.11mm thick.
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

---

## 9. Physical and Chemical Characteristics

---

Color	Grey
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility:	Insoluble
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	N/A
Molecular weight:	N/A

---

## 10. Reactivity

---

Stability:	Stable under recommended storage conditions
Reacts With:	Acids, Halogens, Oxidizing agents
Incompatible Conditions:	None
Hazardous Decomposition Products:	Metal oxide fume, Selenium dioxide (SeO <sub>2</sub> ), Arsenic oxides (As <sub>2</sub> O <sub>x</sub> )

---

## 11. Toxicological Information

---

### Potential Health Effects:

Eyes:	Harmful
Skin:	Irritant – toxin is not easily absorbed through skin
Ingestion:	Fatal
Inhalation:	Fatal
Chronic:	Acute arsenic poisoning from ingestion results in marked irritation of the stomach and intestines with nausea, vomiting and diarrhea. In severe cases, the vomitus and stools are bloody and the patient goes into collapse and shock with weak, rapid pulse, cold sweats, coma, and death. Chronic arsenic poisoning may cause disturbances of the digestive system such as loss of appetite, cramps, nausea, constipation or diarrhea. Tellurium is converted in the body to dimethyl telluride which imparts a garlic-like odor to the breath and sweat. Heavy exposure may result in headache, drowsiness, metallic taste, loss of appetite, nausea, tremors, convulsions, and respiratory arrest.

Signs & Symptoms: N/A

Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

### Confirmed carcinogen

EPA-A, IARC-1, ACGIH-A1, NTP-K

---

## 12. Ecological Information

---

Aquatic Toxicity:	High
Persistent Bioaccumulation Toxicity:	No
Very Persistent, Very Bioaccumulative:	No
Notes:	Very toxic for aquatic organism. May cause long lasting harmful effect on aquatic life. Do not allow material to be released to the environment without proper governmental permits. Danger to drinking water if even extremely small quantities leak into the ground.

---

## 13. Disposal Considerations

---

Dispose of in accordance with local, state, national, and international regulations.


---

#### 14. Transportation Data

---

Hazardous:

Target or large ingot:



Hazard Class:  
Packing Group:  
UN Number:  
Proper Shipping Name:

9 Miscellaneous hazardous substances  
III  
UN3077  
Environmentally hazardous substance, solid, n.o.s. (Germanium Arsenic Selenide)

Hazardous:

All other forms:



Hazard Class:  
Packing Group:  
UN Number:  
Proper Shipping Name:

6.1 Toxic substances  
II  
UN1557  
Arsenic compounds, solid, inorganic, n.o.s. (Germanium Arsenic Selenide)

---

#### 15. Regulatory Information

---

Sec 302 Extremely Hazardous:  
Sec 304 Reportable Quantities:  
Sec 313 Toxic Chemicals:

No  
N/A  
Components

---

#### 16. Other Information

---

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

07/08/2015