



LTS Research Laboratories, Inc.
Safety Data Sheet
Samarium Cobalt

1. Product and Company Identification

Trade Name: Samarium cobalt
Chemical Formula: SmCo_5
Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.
Street: 37 Ramland Road
City: Orangeburg
State: New York
Zip Code: 10962
Country: USA
Tel #: 855-587-2436 / 855-lts-chem

24-Hour Emergency Contact: 800-424-9300 (US & Canada)
+1-703-527-3887 (International)

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H228: Flammable solid
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317: May cause an allergic skin reaction

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking
P284: Wear respiratory protection
P261: Avoid breathing dust/fume/gas/mist/vapours/spray
P280: Wear protective gloves/protective clothing/eye protection/face protection
P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):
Health: 1
Flammability: 2
Physical: 2

3. Composition

Chemical Family: Alloy
Additional Names: Samarium pentacobalt

Samarium cobalt (SmCo₅):
Percentage: 100 wt%
CAS #: 12017-68-4
EC #: 234-625-7

4. First Aid Procedures

General Treatment: Seek medical attention if symptoms persist.
Special Treatment: None
Important Symptoms: None

Inhalation: Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion: Seek medical attention.
Skin: Wash affected area with mild soap and water. Remove any contaminated clothing.
Eyes: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

5. Firefighting Measures

Flammability: Non-flammable, except as powder

Extinguishing Media: Do not use water for metal fires – use CO₂, sand, extinguishing powder.
Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

6. Accidental Release Measures

If Material Is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

7. Handling and Storage

Handling Conditions: Wash thoroughly after handling.
Storage Conditions: Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection


| | |
|------------------------------|---|
| Permissible Exposure Limits: | 0.1 mg/m ³ as Co, dust and fume, long-term value |
| Threshold Limit Value: | 0.02 mg/m ³ as Co, long-term value |
| Special Equipment: | None |
| Respiratory Protection: | Dust Respirator |
| Protective Gloves: | Rubber gloves |
| Eye Protection: | Safety glasses or goggles |
| Body Protection: | Protective work clothing. Wear close-toed shoes and long sleeves/pants. |

9. Physical and Chemical Characteristics

| | |
|---------------------------|--|
| Color | Grey |
| Form: | Powder, Granules, Pellets, Sputtering target, Custom parts |
| Odor: | Odorless |
| Water Solubility: | Insoluble |
| Boiling Point: | N/A |
| Melting Point: | 1325 °C |
| Flash Point: | N/A |
| Autoignition Temperature: | N/A |
| Density: | N/A |
| Molecular weight: | N/A |

10. Reactivity

| | |
|-----------------------------------|---|
| Stability: | Stable under recommended storage conditions |
| Reacts With: | Oxidizing agents |
| Incompatible Conditions: | None |
| Hazardous Decomposition Products: | Toxic Metal oxide fume |



11. Toxicological Information

Potential Health Effects:

| | |
|-------------|---|
| Eyes: | Causes irritation |
| Skin: | Causes irritation, May cause an allergic skin reaction |
| Ingestion: | May cause irritation |
| Inhalation: | May cause allergy or asthma symptoms or breathing difficulty |
| Chronic: | Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage. Cobalt is an experimental neoplastigen and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compounds are classified as an animal carcinogen by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of ducts and fumes may cause irritation of the respiratory tract and labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. Chronic ingestion may result in pericardial effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. |

| | |
|--------------------------------|-----|
| Signs & Symptoms: | N/A |
| Aggravated Medical Conditions: | N/A |

| | |
|---------------------|-----|
| Median Lethal Dose: | N/A |
|---------------------|-----|

| | |
|-------------|--|
| Carcinogen: | IARC-2B: Possibly carcinogenic to humans: limited evidence in human in the absence of sufficient evidence in experimental animals. ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by routes of administration, at sites, of histologic types, or by mechanisms not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or level of exposure. |
|-------------|--|

12. Ecological Information

| | |
|--|-----|
| Aquatic Toxicity: | Low |
| Persistent Bioaccumulation Toxicity: | No |
| Very Persistent, Very Bioaccumulative: | No |
| Notes: | N/A |

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 4.1 Flammable solids, self-reactive substances and solid desensitized explosives
Packing Group: III
UN Number: UN3089
Proper Shipping Name: Metal powders, flammable, n.o.s. (Samarium cobalt)

15. Regulatory Information

Sec 302 Extremely Hazardous: No
Sec 304 Reportable Quantities: N/A
Sec 313 Toxic Chemicals: Yes

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/01/2015